



## Roof Accessories

---

with the home in mind



# German quality and technology

---

Eurovent products are manufactured with the use of the newest technology and involvement of the best building insulation specialists. They have joined their over 20-year experience in design, production and distribution of roof membranes and roof accessories in order to produce and provide you with the best products available.

That's why Eurovent brand brings the latest achievements and innovative solutions in the roof and building insulation fields. In the production process of Eurovent products the best raw materials available on the market are used. Strict inspection allows to manufacture qualitative, safe, effective and durable products.

Roofers and investors appreciate Eurovent for its high quality. By purchasing the Eurovent products you are choosing healthy atmosphere in your house and peace for you and your family.



## Ridge

---

Ridge tapes and accessories to enable proper ventilation of the ridge area and protect against penetration of snow, rain, moisture and dust.

## ROLL STANDARD

Ridge tape made of profiled aluminum sheet, technical fabric and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size:	240 mm; 310 mm x 5 rm 150 mm - 400 mm* x 5 rm
RAL colour:	wall red 8004 , brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper – Cu*
Cardboard:	4 rolls
Pallet:	144 rolls / 720 rm

## ROLL GEO

Ridge tape made of profiled aluminum sheet, geotextile and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size:	240 mm; 310 mm x 5 rm 150 mm - 400 mm* x 5 rm
RAL colour:	wall red 8004 , brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper – Cu*
Cardboard:	4 rolls
Pallet:	144 rolls / 720 rm

## ROLL SUPER

Ridge tape made of profiled aluminum sheet, two-layer nonwoven and self-adhesive butyl tape. Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size:	240 mm; 310 mm x 5 rm 180 mm - 400 mm* x 5 rm
RAL colour:	wall red 8004 , brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper – Cu*
Cardboard:	4 rolls
Pallet:	144 rolls / 720 rm

\* against order



## ROLL METAL

Ridge tape made of partly perforated profiled aluminum sheet and self-adhesive butyl tape.

Applied as sealing and ventilating element.

Protects the roof covering against moisture and dust while ensuring proper ventilation.



Roll size:	300 mm x 5 m 180 mm - 450 mm* x 5 m
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper - Cu*
Cardboard:	4 rolls
Pallet:	144 rolls / 720 m

## ROLL METAL NEW

Ridge tape made of partly perforated profiled aluminum sheet and self-adhesive butyl tape.

Applied as sealing and ventilating element. Protects the roof covering against moisture and dust while enlarged openings ensure proper ventilation.



Roll size:	300 mm x 5 m 180 mm - 450 mm* x 5 m
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper - Cu*
Cardboard:	4 rolls
Pallet:	144 rolls / 720 m

## GRIP UNI

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.



Type:	470/53
RAL colour:	wall red 8004, brown 8017, anthracite 7021
Cardboard:	50 pcs.
Pallet:	200 cardboards / 10 000 pcs.



\* against order

## GRIP TONDACH

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of Tondach ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.



.....

Type:	470/85, 470/98
RAL colour:	wall red 8004, brown 8017, anthracite 7021
Cardboard:	50 pcs.
Pallet:	200 cardboards / 10 000 pcs.

## GRIP CREATON

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of Creaton ridge tile on the ridge and hip battens. The grip is mounted with the use of screws.



.....

Type:	470/24
RAL colour:	wall red 8004, brown 8017, anthracite 7021
Cardboard:	50 pcs.
Pallet:	200 cardboards / 10 000 pcs.

## GRIP RÖBEN

Ridge tile grip made of aluminum sheet and coated with weatherproof polyester paint. Applied for fast and reliable installation of Röben ridge tiles on the ridge and hip battens. The grip is mounted with the use of screws.



.....

Type:	470/163
RAL colour:	wall red 8004, brown 8017, anthracite 7021
Cardboard:	50 pcs.
Pallet:	200 cardboards / 10 000 pcs.



## CANTILEVER G

Ridge batten bracket consisting of steel grip and nail. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs. Made of galvanized steel.



.....

Grip width:	40 mm; 50 mm
Lenght:	180 mm; 210 mm; 230 mm; 260 mm
Cardboard:	100 pcs.
Pallet:	40 cardboards / 4 000 pcs.

## CANTILEVER B

Ridge batten bracket consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs. Made of galvanized steel.



.....

Grip width:	40 mm; 50 mm
Lenght:	210 mm
Cardboard:	100 pcs.
Pallet:	32 cardboards / 3 200 pcs.

## CANTILEVER L

Regulated bracket for ridge batten consisting of steel grip and bracket. The product finds application as mounting element for ridge tiles on the ridge batten of ventilated pitched roofs. Made of galvanized steel.




.....

Grip width:	40 mm; 50 mm
Lenght:	180 - 225 mm
Cardboard:	100 pcs.
Pallet:	32 cardboards / 3 200 pcs.





## BITUVENT



Ridge ventilating element manufactured from plastic. Finds application as sealing and ventilating element when installing bitumen shingles. Protects the roof covering against moisture and dust while ensuring proper ventilation.

---

Size:	290 mm x 1000 mm
RAL colour:	black 9005
Cardboard:	10 pcs.
Pallet:	10 cardboards / 100 pcs.

## AIR FLEX S



Ridge ventilating element made of PVC with ventilation openings and polymer bristles. Finds application as sealing and ventilating element. Protects the roof covering against moisture and dust while ensuring proper ventilation.

---

Profile height:	75 mm x 1000 mm
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3013
Cardboard:	32 pcs.
Pallet:	6 cardboards / 192 pcs.

## DECK



Ridge deck manufactured from plastic. The product finds application as ventilating and finishing element for ridge roof tiles. Its special evenly-arranged openings ensure efficient ventilation of the roof ridge area.

---

Size:	50 mm x 120 mm
RAL colour:	wall red 8004, brown 8019, black 9005
Cardboard:	25 pcs.
Pallet:	400 cardboards / 10 000 pcs.





## Chimney

---

Chimney flashing products for durable and effective flashing around chimney, bay and roof windows as well as joining the roof and wall.

# FLEX STANDARD

Chimney flashing made of crosswise profiled aluminum sheet and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size:	300 mm x 5 rm; 50 mm - 450 mm* x 5 rm
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper - Cu*
Cardboard:	1 roll
Pallet:	144 rolls / 720 rm

# FLEX 3D

Chimney flashing made of aluminum sheet profiled into a three-dimensional pattern and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size:	300 mm x 5 rm; 50 mm - 450 mm* x 5 rm
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper - Cu*
Cardboard:	1 roll
Pallet:	144 rolls / 720 rm

# FLEX STANDARD PB

Chimney flashing made of crosswise profiled lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size:	300 mm x 5 rm
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper - Cu*
Cardboard:	1 roll
Pallet:	72 rolls / 360 rm

\* against order



## FLEX FLAT PB


Chimney flashing made of flat lead tape and butyl adhesive. Applied in roof works, especially in the areas around chimneys, bay windows and roof windows. Suitable also for joining surfaces of roof and wall.



Roll size:	300 mm x 5 m
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper – Cu*
Cardboard:	1 roll
Pallet:	60 rolls / 300 m

## FLEXBIT

Roofing tape made of aluminum foil and bitumen adhesive. Applied for joining and sealing roof treatments in the areas of chimneys, valleys, roof windows, firewalls, skylights and ventilating elements. Suitable for both, flat and pitched roofs.



Roll size:	100 mm; 150 mm; 300 mm x 10 m
RAL colour:	wall red 8004, brown 8019, graphite 9007, cherry 3004, aluminium 9006
Cardboard:	3 rolls; 2 rolls; 1 roll
Pallet:	96 cardboards

## FLEX LINE

Aluminum chimney strip. Finds application as finishing element in the areas where chimney flashing is used. The product enables proper sealing of the critical spots around chimney and ensures esthetic finishing of the roof works.



Size:	80 mm x 2 m
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8015, cherry 3011, cooper – Cu*
Cardboard:	20 pcs.
Pallet:	100 cardboards / 2 000 pcs.



# Clips

---

Clips for reliable and effective installation of cement and ceramic roof tiles to ensure a safe roof for many years.



## CLIP NORD-2

Roof tile clip made of hook-profiled steel wire. The clip is tipped with rectangular plate crafted from galvanized steel strip. The product can be applied with numerous types of ceramic and cement tiles.



Material: galvanized steel  
 Size: 65 mm x 20 mm x 15 mm  
 Cardboard: 100 pcs.  
 Pallet: 360 cardboards / 36 000 pcs.

## CLIP NORD-3


Roof tile clip made of hook-profiled steel wire. The clip is tipped with half-round plate crafted from galvanized steel strip. The product finds application in numerous types of ceramic and cement tiles.



Material: galvanized steel  
 Size: 65 mm x 20 mm x 15 mm  
 Cardboard: 100 pcs.  
 Pallet: 900 cardboards / 90 000 pcs.

## CLIP U

Roof tile clip made of galvanized and profiled steel wire. The product can be applied with all types of cement tiles and is installed by sticking its sharp end into the roof structure and fastening its other end to the edge of the roof tile.



Material: galvanized steel  
 Size: 45 mm x 33 mm x 25 mm (mała)  
 55 mm x 40 mm x 40 mm (duża)  
 Cardboard: 100 pcs.  
 Pallet: 960 cardboards / 96 000 pcs.



## CLIP J

Roof tile clip made of J-shaped galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening one of its ends to the side-lock of the roof tile or both, side and top-lock, and its other end to the batten.

Material:	galvanized steel
Size:	190 mm x 50 mm x 30 mm 200 mm x 40 mm x 30 mm 210 mm x 30 mm x 30 mm
Cardboard:	100 pcs.
Pallet:	120 cardboards / 12 000 pcs.



## CLIP J2

Double side-clip made of J-shaped galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening its tips to the side-locks of two neighbouring roof tiles, the upper and the lower one.

Material:	galvanized steel
Size:	320 mm x 15 mm x 15 mm 300 mm x 15 mm x 15 mm*
Cardboard:	100 pcs.
Pallet:	120 cardboards / 12 000 pcs.



## CLIP DC-6

Universal roof tile clip made of galvanized steel wire. The product is designed for ceramic tiles. It is installed by fastening one of its ends to the side-lock or both, side and top-lock, and its other end to the batten.

Material:	galvanized steel
Size:	200 mm x 40 mm x 40 mm
Cardboard:	100 pcs.
Pallet:	320 cardboards / 32 000 pcs.



\* against order



## CLIP DC-9

Roof tile side-clip made of galvanized steel wire. The product is designed for concrete and ceramic tiles. It is installed by sticking its sharp end into the roof structure and fastening its profiled end to the side-lock of the roof tile.



Material:	galvanized steel
Size:	75 mm x 65 mm; 65 mm x 48 mm* 85 mm x 85 mm*; 75 mm x 48 mm*
Cardboard:	100 pcs.
Pallet:	320 cardboards / 32 000 pcs.

## CLIP BIBER

Roof tile side-clip made of galvanized steel tape. The product is designed for beaver-tail roof tiles. It is installed by fastening one of its ends to the batten and the other end to the side edge of the roof tile.



Material:	galvanized steel
Size:	40 mm x 80 mm x 50 mm
Cardboard:	100 pcs.
Pallet:	60 cardboards / 6 000 pcs.

## CLIP C

Roof tile clip for use with cut roof tiles. Made of stainless steel bracket and steel wire. It is installed by fixing the steel bracket to the edge of the tile and fastening the steel wire to the nail in the roof structure, mostly in the batten.



Material:	stainless steel
Size:	20 mm x 30 mm x 400 mm
Cardboard:	25 pcs.
Pallet:	630 cardboards / 15 750 pcs.








## Eaves

---

Ventilation elements for protecting eaves in pitched roofs and ventilation intakes in facades against penetration of birds, rodents and leaves.

## COMB


Eaves comb manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.



Size:	60 mm; 80 mm; 90 mm; 110 mm x 1 rm
RAL colour:	wall red 8004, brown 8019, black 9005
Cardboard:	200 szt; 50 szt; 50 pcs.
Pallet:	60 mm: 30 cardboards / 6 000 pcs. 90 mm: 80 cardboards / 4 000 pcs. 110 mm: 21 cardboards / 2 100 pcs.

## COMB VENTI

Eaves comb with a ventilating grate. Manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.



Size:	85 mm x 1 rm
RAL colour:	wall red 8004, brown 8019, black 9005
Cardboard:	50 pcs.
Pallet:	20 cardboards / 1 000 pcs.

## GRATE VENTI

Ventilating eaves grate. Manufactured from high quality plastic. The product ensures proper ventilation of the eaves area in the pitched roof while protecting it against penetration of birds, rodents, insects and leaves.




Size:	32 mm x 1 rm
RAL colour:	wall red 8004 , brown 8019, black 9005
Cardboard:	100 pcs.
Pallet:	10 cardboards / 1 000 pcs.



## EAVES GRATE

Eaves grate manufactured from high quality plastic. Applied to protect the eaves area against penetration of birds, rodents, insects and leaves. The product is also suitable for use as protecting element for ventilation intakes in building facades.



Size:	50 mm; 80 mm; 100 mm; 150 mm x 5 mm BOX - 80 mm; 100 mm x 60 mm
RAL colour:	wall red 8004, brown 8019, black 9005, cherry 3011, white 9003*
Cardboard:	50 mm – 48 rolls; others – 24 rolls; BOX – 1 roll
Pallet:	50 mm: 30 cardboards / 1440 rolls 80, 100 mm: 30 cardboards / 720 rolls 150 mm: 16 cardboards / 384 rolls; BOX - 54 cardboards

## EAVES PLANK

Overgutter plank made of aluminum sheet and coated with polyester paint. Applied as reinforcement and protection of the eaves area and its water-drainage system. The product is wrapped in protective polyethylene foil removable before application.



Size:	45 mm x 110 mm x 2 mm
RAL colour:	wall red 8004, brown 8019, brown 8017, black 9005, anthracite 7021, chestnut 8015, cherry 3011
Cardboard:	20 pcs.
Pallet:	40 cardboards / 800 pcs.

\* against order



# Sealing tapes

---

Adhesive tapes dedicated to the roofing area for installing and sealing roof membranes, vapour barriers and other polymer-based construction products.



## TOPBAND

Single-sided tape made of polypropylene nonwoven and acrylic dispersion adhesive.

The product finds application in joining and repairing roof membranes, wind barriers as well as other polypropylene-based products.



Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls

## TOPBAND FASSADE

Single-sided tape made of polypropylene nonwoven coated with polyurethane on one side and acrylic dispersion adhesive on the other. The product finds application in joining and sealing FASSADE wind barrier as well as other polypropylene-based products.



Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls

## UNO

Single-sided tape made of PE foil reinforced with polyester fibres and acrylic dispersion adhesive. The product finds application in joining and repairing plastic-based roof membranes and foils as well as fastening them to wood and metal elements.



Size:	50 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls




## UNO COLD

Single-sided transparent tape made of PE foil reinforced with polyester fibers and acrylic dispersion adhesive.

The product finds application when joining plastic-based products with polypropylene and polyethylene materials.

Dedicated for use in cold temperatures.



Size:	50 mm x 25 rm
Application temperature:	- 10°C
Cardboard:	12 rolls
Pallet:	60 cardboards / 720 rolls

## DUO

Double-sided tape made of polyester mesh coated on both sides with a special acrylic dispersion adhesive. The product finds application in joining vapour barriers, roof membranes and foils as well as other plastic-based products.



Size:	20 mm x 25 rm
	20 mm x 50 rm
Application temperature:	> 5°C
Cardboard:	12 rolls
Pallet:	90 cardboards / 1080 rolls

## BUTYL

Double-sided tape with a separating film made of silicone paper. A solvent-free product based on butyl. The tape finds application in joining and sealing vapour barriers, roof and foundation foils as well as other plastic-based products.



Size:	15 mm x 25 rm
Application temperature:	> 5°C
Cardboard:	16 rolls
Pallet:	30 cardboards / 480 rolls



## PUR

Single-sided tape made of closed-cell structure polyethylene foam and coated with acrylic dispersion adhesive. The product finds application in sealing the insulations of roof and building constructions.



Size:	30 mm; 40 mm; 50 mm x 30 mm
Application temperature:	> 5°C
Cardboard:	4 rolls
Pallet:	66 cardboards / 264 rolls

## ALUFIX

Single-sided metalized tape made of PE foil coated with a special acrylic dispersion adhesive. The product finds application in joining and repairing aluminum-based vapour barriers. Suitable also for membranes and foils with metalized surface.



Size:	50 mm x 50 mm; 75 mm x 50 mm
Application temperature:	> 5°C
Cardboard:	36 rolls; 24 rolls
Pallet:	50 mm: 36 cardboards / 1 296 rolls 75 mm: 36 cardboards / 864 rolls

## COMPRI

Single-sided expandable tape made of flexible polyurethane foam soaked with modified acrylic. The product finds application in sealing voids in roof and building constructions, especially in the areas of ridge, valley and roof windows.



Size:	15 mm x 30 mm x 5 mm; 15 mm x 40 mm x 5 mm; 20 mm x 50 mm x 5 mm
Application temperature:	> 5°C
Cardboard:	20 rolls; 20 rolls; 15 rolls



# Valley

---


A complete system for roof valleys enables durable flashing of neighbouring roof slopes and secures proper water drainage.





## VALLEY Q

Roof valley made of crosswise profiled aluminium sheet and coated with polyester paint. The product finds application in flashing the area between two roof slopes and ensures proper water drainage within the roof.



.....

Size:	500 mm x 2 m
RAL colour:	wall red 8004, brown 8017, black 9005, anthracite 7021, chestnut 8015, cherry 3011, brown 8019*
Cardboard:	10 pcs.
Pallet:	40 cardboards / 400 pcs.

## VALLEY L

Roof valley made of longitudinally corrugated aluminium sheet and coated with polyester paint. The product finds application in flashing the area between two roof slopes and ensures proper water drainage within the roof.



.....

Size:	500 mm x 2 m
RAL colour:	wall red 8004, brown 8017, black 9005, anthracite 7021, chestnut 8015, cherry 3011, brown 8019*
Cardboard:	10 pcs.
Pallet:	40 cardboards / 400 pcs.

## METAL ALU

Flat aluminum sheet coated with polyester paint. Applied for performing finishing works in flat and sloping roofs. Product ensures reliable protection and proper sealing of the critical spots in the roof.



.....

Size:	1000 mm x 2 m
RAL colour:	wall red 8004, brown 8017, black 9005, anthracite 7021, chestnut 8015, cherry 3011, brown 8019
Thickness:	ca. 0,55 mm; ca. 0,60 mm
Pallet:	300 sheets

\* against order



## VALLEY CLIP

Roof valley clip made of aluminum sheet and coated with polyester paint. The product finds application as element for fastening the roof valley to the structure of the roof. Enables precise installation without additional drilling.



.....

RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021, chestnut 8012, cherry 3011

Cardboard: 50 pcs.

Pallet: 200 cardboards / 10 000 pcs.

## WEDGE

Valley wedge made of polyurethane foam with a layer of adhesive on one side. The product is used for sealing the area between the roof valley and the slope of the roof. Perfectly adjusts to the shape of the covering.



.....

Size: 60 mm x 1 m

RAL colour: wall red 8004, brown 8019, anthracite 7021

Cardboard: 200 pcs.

Pallet: 10 packages / 2 000 pcs.

## SEAL 4

Square seal made of polyurethane foam with a layer of adhesive on one side. The product finds application in sealing the area between the roof valley and the slope of the roof. Perfectly adapts to the shape of the covering.



.....


Size: 40 mm x 30 mm x 1 m

RAL colour: wall red 8004, brown 8019, anthracite 7021

Cardboard: 200 pcs.

Pallet: 8 packages / 1 600 pcs.





## Ventilation and protection

---

Products for additional protection of the roof.  
Ventilating system for the roof and attic to  
improve performance of the covering.

## GUTTER PROTECT

Protective mesh manufactured from high quality plastic. The product is applied to protect the gutters, both metal and plastic, against leaves and other impurities. Its side hooks allow for a fast and reliable installation.



Size:	175 mm x 600 mm
RAL colour:	black 9005
Cardboard:	5 pcs.
Pallet:	800 package / 4 000 pcs.

## ANTIBIRD DUO

Protective element made of polycarbonate base and flexible steel spikes. The product prevents birds from sitting and nesting on roofs, facades, cornices, window panes and other parts of the buildings.



Size:	60 mm x 335 mm x 110 mm
RAL colour:	aluminium 9006
Wiązka:	15 pcs.

## FLEXOS

Flexible air duct made of high quality plastic. The product is applied as connecting element between the ventilating chimney and the attic. Withdraws moisture from usable and non-usable attics, kitchens and bathroom outside the roof.



Length:	60 cm
Diameter:	110 / 75 mm; 150 / 110 mm
RAL colour:	black 9005
Cardboard:	10 pcs.
Pallet:	36 cardboards / 360 pcs.



## VENTOS

Ventilating chimney for use on bitumen shingles and metal roofing. Made of high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees. Withdraws moisture from usable and non-usable attics, kitchens and bathrooms.



Set:	base plate + chimney + screws
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024, chestnut 3009
Type:	METAL N25; METAL W35; METAL X45; METAL F22; METAL G18; BITU U; BITU O - list of producers page 31 - 32
Cardboard:	1 set
Pallet:	32 sets

## VENTOS PLUS

Ventilating chimney for use on cement and ceramic roof tiles. Made of high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees. Withdraws moisture from usable and non-usable attics, kitchens and bathrooms.



Set:	base plate + chimney + screws
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, graphite 7024, chestnut 3009 <b>GL</b> – high gloss version available*
Type:	ES, EX, C, S, R - list of producers page 31
Cardboard:	1 set
Pallet:	32 sets

## VENTOS UNI EPDM

Universal ventilating chimney made of high quality plastic. The product is suitable for application on any roof covering with roof slope ranging between 5 and 45 degrees. Available with insulation against order.



Set:	base plate with EPDM seal + chimney + screws
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024, chestnut 3009
Cardboard:	1 set
Pallet:	32 sets

\* against order



## VENTOS ROTO

Rotary roof vent made of high-quality plastic and powder-painted galvanized steel. Recommended for ventilating rooms and spaces with increased humidity. Suitable for use on roof slopes ranging between 10 and 45 degrees.



- .....
- Set: base plate + chimney + screws  
 RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024, chestnut 3009  
 Type: METAL N25; METAL W35; METAL X45; METAL F22; METAL G18; BITU U; BITU O; ES; EX; C; S; R - list of producers page 31 - 32  
 Cardboard: 1 set  
 Pallet: 32 sets

## SATTOS

Antenna adapter for use on all types of roof covering. Manufactured from high quality plastic and tipped with a rubber cap. The product is designed for 15-65 mm diameter masts and suitable for use on roof slopes ranging between 5 and 45 degrees.



- .....
- Set: base plate + rubber cap + metal ring + screws  
 RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024, chestnut 3009  
 Type: METAL N25; METAL W35; METAL X45; METAL F22; METAL G18; BITU U; BITU O; ES; EX; C; S; R - list of producers page 31 - 32  
 Cardboard: 1 set  
 Pallet: 32 sets

## SOLAROS

Solar cable adapter for use with the majority of roof coverings. The product enables to easily draw the 10-60 mm diameter cables through the roof slope. Suitable for use on roof slopes ranging between 5 and 45 degrees.



- .....
- Set: adapter + screw  
 RAL colour: wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024, chestnut 3009  
 Type: METAL N25; METAL W35; METAL X45; METAL F22; METAL G18; BITU U; BITU O; ES; EX; C; S; R - list of producers page 31 - 32  
 Cardboard: 1 set  
 Pallet: 32 sets



# VENTOS FLAT

Flat air vent for use on cement and ceramic roof tiles, bitumen shingles and metal roofing.

Manufactured from high quality plastic and suitable for roof slopes ranging between 5 and 45 degrees.

Withdraws moisture from the roof area.



.....


Set:	air vent + screws
RAL colour:	wall red 8004, brown 8019, black 9005, anthracite 7021, brown 8017, cherry 3013, green 6020, graphite 7024
Type:	METAL N25; METAL W35; METAL X45; METAL F22; METAL G18; BITU U; BITU O; ES; EX; C; S; R - list of producers page 31 - 32
Cardboard:	1 set
Pallet:	32 sets

## Plate types – bitumen shingle



BITU O


for all types of shingles, installed on the bitumen shingle




BITU U

for all types of shingles, installed under the bitumen shingle


## Plate types – roof tiles




ES – Euronit S




EX – Euronit Extra



C – Monier Braas Celtic



S – Monier Braas Baltic  
IBF Doppel S  
Nelskamp S  
Prodach Doppel S



R – Monier Braas Roman  
Prodach Roman  
Benders Mecklenburger

## Plate types – metal roofing

### METAL N25

ARCELOR MITAL - Halny; ARECO SWEDEN - Vivaldi;  
 ATEST-POL - Biebrza; BALEXMETAL - Spektrum; BIAL-MET - Nora; BLACHCENTRUM - Aga; BLACHDOM - Bona, Joker, Bona Long; BLACHDOMPLUS - Bona Plus, Imperia Plus, Korona Plus; BLACHODACH - Bingo, Bravo, Twist; BLACHOTRAPEZ - Kingas, Kingas Eco, Diament Eco, Kingas Plus; BLACH-POL - Eska; BLACHPROFIL 2 - Alfa Premium, Alfa Plus, Euro, Eco; BLACHSTAL - Dakota, King, King Plus; BLACHY PIOTRKOWICZ - Olga, Brylant, Specjal; BLOK BUD - Natura; BORG - Elegant; BRATEX - Hestia, Hera, Platino, Platino Eco; BUDMAT - Sara, Zefir, Polonia; BUDMAX-METAL - Bingo, Magnat, Eco-Max; DACHPOL - Prima; DACHSTYL - Merkury, Saturn; DEKAPOL - profil A; DISPOL - Stella, Luna; EUROBLACH - Korra; FINCO STAL - Akcent, Vega, Akord, Takt; FINISH PROFILES - Kingstyle, Finishdak; FLORIAN - Florina, Kinga, Kinga Plus; GLINMET - Dona, Dona Eco; GÓR-HUT- Dana; HANBUD - Vena; INTER-MAX - Norda; KROLL - Kroll Plus; KURPDACH - Kurpianka; LIRMLACH - Klaudia; LINDAB - LAPL, LPAN; MATPOL - Julia; MAX-SYSTEM MIKOŁAJOWICE - Nicol, Eco Nicol; METALMIX - Libra; NOWAX - Atena; PLANNJA - Regent, Smart, Regola, Scandic, Rapid; POLONICA - Luna; POLSTAL - Caro, Caro Plus; PRUSZYŃSKI - Szafir, Rubin Plus; REGAMET - Gloria, Viktoria; ROL-BUD - Kaja; RUUKKI - Monterrey TS39, TS34; SOLAN - M35; STAL-HART - Kinga, Bella; TADBUD - Dana; TRAFFIC - Gold, Silver; TRANSBLACH - Korra, Segment; UNIBLACH - King, Emi, Vera; VICOR - Vika, Riki; WAT - Major; WISTAL - Dona, Dona Plus; WŁASTAL - Perła, Bursztyn, Classic; ZARTMET - Diament, Topaz, Nefryt; ZEPART - Xara.



### METAL W35

ATEST-POL - Narew; BIAL-MET - Podlasie; BLACHDOM - Perła; BLACHDOM PLUS - Perła Plus; BLACHODACH - Sonata; BLACHOTRAPEZ - Diament Plus; BLACH-POL - Prima; BLACHPROFIL 2 - Omega; BLACHSTAL - Elita; BLOK-BUD - Aqua; BUDMAT - Aria; DACH-METAL - Rzymska; DEKAPOL - Profil B; EUROBLACH - Kiara; FINCO-STAL - Tango; FINISH PROFILES - Cesar, Finishdak; FLORIAN CENTRUM - Europa; GLINMET - Monza; INTERMAX - Westa; KROLL - Mistral, Syrius; LIRMLACH - Aga; MATPOL - Zuzia; MAX-SYSTEM - Olivia, Eco Olivia; METALEX MIKOŁAJOWICE - Fińska; NOWAX - Diana; PLANNJA - Royal; POLONICA - Extra; POLONICA - Elios; POLSTAL - Beta; PRUSZYŃSKI - Kron; REGAMET - Olimpia, Maxima; STAL-HART - Bella; TRANSBLACH - Kiara; UNIBLACH - Elita; WAT - Fala; WISTAL - Monza; WŁASTAL - Topaz; ZARTMET - Opal, Jaspis; ZEPART - Lena, Duna.



### METAL X45

BRATEX - Era, Integra; BUDMAT - Venus; FLORIAN - Flora; LINDAB - LPAH, Goodlock; RUUKKI - Elite.



### METAL F22

BLACHPROFIL 2 - Gamma 25, Gamma 35; BUDMAT - VENEZIA; PLANNJA - Flex; RUUKKI - Fothersra.



### METAL G18

BLACHOTRAPEZ - Germania; GLINMET - Afrodyta; MATPOL - Frania; PLANNJA - Royal; PRUSZYŃSKI - Arad; RUUKKI - Adamante; TRAFFIC - Platinum 350, Platinum 350 Eco, Platinum 400, Platinum 400 Eco; WISTAL - Monza.



GL - high gloss version available against order





## Snow protection

---

Snow protection system to prevent the excessive amounts of snow from sliding down the roof slope. Fastening elements for easy installation on any roof covering.

## SNOWSTOPPER

Snow-stopping grate manufactured from galvanized steel. Applied as snow protection element on pitched roofs. The product protects against the large amounts of snow sliding down the roof slope.



.....

Lenght:	1,2 m; 2,0 m; 3,0 m*
RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	10 pcs.

## FIX UNI

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.



.....

RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	10 pcs.

## FIX DB-DC

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on cement and ceramic roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



.....

RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	10 pcs.



\* against order

## FIX BIBER

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on pitched roofs. The product is designed for use with beaver-tail roof tiles laid in double-lap pattern.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## FIX BIBER LONG

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on pitched roofs. The product is designed for use with beaver-tail roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## FIX METAL

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on type 350, 400, VENEZIA and FINNERA metal roofing. Suitable for use on roof slopes ranging between 15 and 60 degrees.



Typ: METAL 350; METAL 400; METAL VENEZIA; METAL FINNERA

RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



## FIX METAL FLAT

Adapter for snow stopping grate. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping grate on flat metal roofing. Especially recommended for standing-seam roof covering.




RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## CLIP

Clip for snow-stopping grate. The product is manufactured from galvanized steel and applied for joining several snow-stopping grates into a line.



Length: 60 mm

RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## FIX TUBE UNI

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as universal mounting element for fixing the snow-stopping pipe on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



## FIX TUBE DB-DC

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on cement and ceramic roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## FIX TUBE BIBER

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on beaver-tail roof tiles. Suitable for use on roof slopes ranging between 15 and 60 degrees.



RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## FIX TUBE METAL

Adapter for snow-stopping pipe. Manufactured from galvanized steel and applied as mounting element for fixing the snow-stopping pipe on type 350, 400, VENEZIA and FINNERA metal roofing. Suitable for use on roof slopes ranging between 15 and 60 degrees.



Typ: METAL 350, METAL 400, METAL VENEZIA, METAL FINNERA

RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



## FIX TUBE METAL FLAT

Adapter for snow-stopping pipe. Made of galvanized steel and applied as mounting element for fixing the snow-stopping pipe on flat metal roofing, especially standing-seam roof coverings. Available in copper, aluminum or stainless steel against order.



RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## CLIP TUBE

Clip for snow-stopping pipe. Manufactured from galvanized steel and applied for joining two snow-stopping pipes into a line. Available in copper, aluminum and stainless steel against order.



RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 2 pcs.

## TUBE

Snow-stopping pipe. Manufactured from galvanized steel and applied as element protecting against the large amounts of snow sliding down the roof. Prevents gutter detachment. Available in copper, aluminum or stainless steel against order.



Length: 2,0 m

RAL colour: galvanized steel, wall red 8004, brown 8017, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 2 pcs.



# SNOWSTOPPER SET



Snow protection system ready for installation on the roof. Set includes two FIX adapters, SNOWSTOPPER grate and CLIPS for systems exceeding 1,2 meters. Effectively prevents large amounts of snow from sliding down the roof slope.

Length: 1,2 m; 2,4 m; 3,6 m  
 RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, green 6020, black 9005, anthracite 7016, chestnut 3009, graphite 7024, cherry 3004  
 Cardboard: 1 set



## UNI

for flat roof coverings such as for example bitumen shingles



## DB-DC

for large sized interlocking roof tiles requiring less than 10 pcs./ sqm



## BIBER

for beaver-tail roof tile



## BIBER LONG

for large-size interlocking roof tiles, fixed to the additional batten



**METAL 350, METAL 400, METAL VENEZIA, METAL FINNERA**  
 for 350 and 400 mm as well as VENEZIA and FINNERA profiled metal roofing



**METAL FLAT**  
 for standing-seam metal roofing

# SNOWSTOP

Snow-stopping element manufactured from galvanized steel and powder-coated with polyester paint. The product splits large amounts of snow as they slide down the roof and protects gutters against damage. Available in several types suitable for different types of roof covering.



Height: 65 mm  
 RAL colour: wall red 8004, brown 8014, anthracite 7016, chestnut 8015, black 9005  
 Package: 100 pcs.  
 Pallet: 30 cardboards / 3 000 pcs.



**UNI**  
flat roof covering



**DB**  
Braas; IBF; Euronit;  
Jopek – beaver-tail;  
Nelskamp; Koramic;  
Creaton Viva; Rupp Topas



**DC-1**  
Tondach Hranice 11;  
Creaton MZ23; Koramic 32;  
Roben Monza Plus; Ruup  
Tarmaute



**DC-2**  
Tondach Roman 12;  
Creaton Harmonia Neu;  
Braas / Rupp Sirius 13;  
Koramic E80; Jakobi D10;  
Roben Fleming; Roben  
Bornholm



**DC-3**  
Tondach French 12;  
Tondach Falcovka; Tondach  
Marseille 12; Rupp Rubin;  
Creaton Domino; Creaton  
Ratio Neu; Creaton Piatta;  
Braas Amber 12V; Koramic  
Alegra 89; Bogen Innovo 12



**DC-4**  
Tondach French 14;  
Tondach Marseille 14



**DC-5**  
Creaton Balance; Tondach  
Roman L15 / Creaton  
Premion; Creaton Futura;  
Creaton Harmonica



**DC-6**  
Tondach Stodo; Jircanka



**METAL**  
metal roof covering



# BLOCK UNI

Grip for snow-stopping block. Manufactured from galvanized steel and applied as fastening element for fixing the wooden snow-stopping block on the roof. Suitable for use on roof slopes ranging between 15 and 60 degrees.

.....

RAL colour: galvanized steel, wall red 8004, brown 8017,  
black 9005, green 6020, anthracite 7016,  
chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



# Roof safety

---

Roof safety system for an easy and safe access to the roof and chimney area. Variety of adapters enables installation on any roof covering.



## PLATFORM


Platform for performing roof maintenance works.  
Made of galvanized steel and covered with anti-slip corrugations to ensure safe foot traffic in the chimney area. Suitable for use on roof slopes ranging between 15 and 60 degrees.



Lenght:	0,4 m; 0,6 m; 0,8 m; 1,0 m; 1,2 m; 1,5 m; 2,0 m; 3,0 m*
RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	2 pcs.

## STEP

Step for performing roof maintenance works.  
Manufactured from galvanized steel and applied as element enabling safe foot traffic in the chimney area. Fastened on the roof with the use of appropriate SUPPORT adapter.



Size:	140 mm x 256 mm
RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	6 pcs.

## GRIP

Universal grip manufactured from galvanized steel.  
The product finds application as fastening element for joining the roof platform and the roof step with the adapter mounted directly on the roof covering.



RAL colour:	galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024
Package:	10 pcs.



## SUPPORT UNI

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on the flat roof covering.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## SUPPORT DB-DC

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on profiled roof coverings made of cement and ceramic tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## SUPPORT DB-DC WEST

One-piece adapter for step and platform grip. The product is manufactured from galvanized steel and enables fixing the step and platform grip on concrete and ceramic roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



## SUPPORT BIBER

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform on beaver-tail roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## SUPPORT BIBER WEST

One-piece adapter for step and platform grip. The product is manufactured from galvanized steel and enables fixing the step and platform grip on beaver-tail roof tiles.



RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## SUPPORT METAL

Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip on type 350, 400, 420 and 460 profiled metal roofing.



Typ: METAL 350, METAL 400, METAL VENEZIA; METAL FINNERA  
RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



## SUPPORT METAL FLAT



Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip on standing-seam flat metal roofing.

RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## SUPPORT WALL



Adapter for step and platform grip. The product is manufactured from galvanized steel and applied as fastening element for fixing the step and platform grip directly to the wall or chimney.

RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.

## LINK



Roof platform link. The product is manufactured from galvanized steel and applied as fastening element for joining two roof platforms into a line. The set contains mounting screws.

Length: 180 mm

RAL colour: galvanized steel, wall red 8004, brown 8017, brown 8019, black 9005, green 6020, anthracite 7016, chestnut 3009, cherry 3004, graphite 7024

Package: 10 pcs.



# PLATFORM SET

Roof platform set ready for installation on the roof.  
Set includes two SUPPORT adapters, two GRIP adapters and one PLATFORM. Manufactured from galvanized steel, the elements ensure safe foot traffic on roof slopes ranging between 15 and 60 degrees.



.....

Lenght: 0,4 m; 0,8 m  
RAL colour: wall red 8004, brown 8017, brown 8019 \*, black 9005, anthracite 7016, chestnut 3009 \*, cherry 3004\*  
Cardboard: 1 set



**UNI**  
for flat roof coverings such as  
for example bitumen shingles



**DB-DC WEST SHORT**  
for interlocking roof tiles requiring  
over 10 pcs. / sqm and beaver-tail  
roof tiles laid in double-lap pattern



**DB-DC WEST LONG**  
for large sized interlocking  
roof tiles requiring less than  
10 pcs./ sqm



**METAL 350**  
for 350 mm profiled  
metal roofing



**METAL 400**  
for 400 mm profiled  
metal roofing



**METAL FLAT**  
for standing-seam metal  
roofing

\* against order

# STEP SET

Roof step set ready for installation on the roof. Set includes one SUPPORT adapter and one STEP. Manufactured from galvanized steel, the elements ensure safe foot traffic on roof slopes ranging between 15 and 60 degrees. Step features anti-slip corrugations and hand grip.



Size: 140 x 256 mm  
 RAL colour: wall red 8004, brown 8017, brown 8019 \*, black 9005, anthracite 7016, chestnut 3009 \*, cherry 3004\*  
 Cardboard: 2 komplety



**UNI**  
 for flat roof coverings such as  
 for example bitumen shingles



**DB-DC WEST SHORT**  
 for interlocking roof tiles requiring  
 over 10 pcs. / sqm and beaver-tail  
 roof tiles laid in double-lap pattern



**DB-DC WEST LONG**  
 for large sized interlocking  
 roof tiles requiring less than  
 10 pcs./ sqm



**METAL 350**  
 for 350 mm profiled  
 metal roofing



**METAL 400**  
 for 400 mm profiled  
 metal roofing



**METAL FLAT**  
 for standing-seam metal  
 roofing



# VISTA

Roof exit made of impregnated pine wood. The roof hatch features a double 15 mm pane mounted on aluminum profile. Dedicated for application in cold roofs and attics with slopes ranging from 15 to 60 degrees.



.....

Material: pine wood, aluminum, glass  
Size: 45 cm x 55 cm; 45 cm x 73 cm  
Type of pane: double pane  
RAL colour: grey 7043  
Pallet: 9 pcs.



# RAL COLOURS




## Ridge, chimney, eaves & valley

wall red	black	aluminium	cherry	cherry	chestnut
					
8004	9005	9006	3011	3013	8015




  

brown	brown	anthracite	cherry	lead	white
					
8017	8019	7021	3004	9007	9003






## Roof ventilation system

wall red	black	cherry	brown	brown	anthracite
					
8004	9005	3013	8017	8019	7021



  

graphite	green	chestnut
		
7024	6020	3009

## Roof safety & snow protection

wall red	black	brown	green	anthracite	chestnut
					
8004	9005	8017	6020	7016	3009

cherry	graphite
	
3004	7024

## Sealing tapes

Application	UNO COLD	UNO	TOPBAND	PUR	DUO	BUTYL	TOPBAND FASSADE	ALUFIX	COMPRI
internal side of the roof	■	■			■	■		■	■
external side of the roof (> 15°)	■		■	■	■	■	■		■
external side of the roof (< 15°)	■			■		■	■		
sealing roof membranes	■		■	■	■	■	■		
repairing roof membranes	■		■				■		
sealing insulation foils	■	■			■	■		■	
repairing insulation foils	■	■						■	
sealing nail punctures		■	■	■	■	■			■
through holes	■	■	■				■		
application temperature >5°	■	■	■	■	■	■	■	■	■
application temperature <0°	■								
uneven surface	■	■	■	■	■	■	■		■

## Membranes, foils, plastics

nonwoven / fabric	■	■	■		■	■	■		
paper		■			■	■			
polyethylene / polypropylene	■	■			■	■			■
hard PVC	■	■			■	■			
metalized / aluminum	■	■	■	■	■	■	■	■	■

## Wood

polished	■	■	■	■	■	■	■	■	■
unpolished	■	■	■	■	■	■	■	■	■
varnished	■	■	■	■	■	■	■	■	■

## Absorbent materials

concrete / plaster				■		■			
brick						■			
fiber plasterboard	■	■		■	■	■			

## Other

styrofoam / polyurethane					■	■	■		■
metal	■	■	■	■	■	■	■		
glass	■	■	■	■	■	■	■		

---

[www.eurovent.de](http://www.eurovent.de)

