

## Eurovent CANTILEVER G

Bracket designed for mounting ridge batten in ventilated sloping roofs. Made of galvanized steel and characterized by increased durability and resistance to cracking.



### Advantages:

- fast and easy installation • reliable support
- resistance to ageing

### Technical data:

Parameter	Value
Components	Low carbon galvanized steel sheet + steel pin
Coating	electrolytic zinc coating with thickness no less than 8 $\mu$
Tension resistance	11,1 kN
Available sizes	40 mm, 50 mm
Total length	up to 280 mm
Body length	180 mm, 210 mm, 230 mm, 260 mm

Parameter	Value
Head length	22 mm
Leg diameter	Approx. 7 mm
Head width	50 mm
Weight	Approx. 0,13 kg
Box	100 pcs
Pallet	3200 pcs

### Application:

Bracket is used as mounting element for ridge battens in ventilated sloping roofs. It ensures proper positioning of the batten and enables fast and reliable installation of ridge tiles to the ridge batten. Product consists of a steel grip and nail. Different sizes of the bracket allow for use with a variety of battens.

*Contained information, advice and guidance is given based on our knowledge, researches, experiments and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.*

Product information can be found on the website: [www.eurovent.de](http://www.eurovent.de)

Update date: 11/2015

## Eurovent CANTILEVER G

### Storage / transport:

The product should be stored in a dry place, under cover, free from moisture and UV radiation in original undamaged and closed package. The product should be transported in covered means of transport. Particular attention should be paid to the unloading in winter conditions and storage in heated rooms. As a result of large temperature difference, water precipitates between the galvanized products. User must ensure free circulation of air for wet galvanized elements during transport or storage.

The product is under warranty, providing that the guidelines contained in technical data sheet are being obeyed. We reserve the right to refuse a complaint recognition in case of not following these guidelines.

*Contained information, advice and guidance is given based on our knowledge, researches, experiments and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.*

Product information can be found on the website: [www.eurovent.de](http://www.eurovent.de)

Update date: 11/2015