

Eurovent EAVES GRATE

Eaves grate manufactured in extrusion process from high-quality polymer. Regular openings ensure proper ventilation within the protected area. Available in several sizes and colours to enable application with the majority of roof coverings.

Advantages:

- proper ventilation •UV resistance
- protection against birds



Technical data:

Parameter	Value
Components	PVC
Available widths	50 mm, 80 mm, 100 mm
Length	5 m ± 20 mm
Thickness	1,1 mm

Parameter	Value
Thickness tolerance	± 0,1
Available colors	wallred RAL 8004, brown RAL 8019, black RAL 9005
Package	100 pcs
Pallet	1000 pcs

Application:

Eaves grate designed for protecting ventilation intakes in building facades and eaves areas in sloping roofs against the penetration of birds, rodents and large insects. Ensures proper ventilation and air circulation within the eaves area by preventing penetration of wind-driven leaves. Suitable for application with nearly all types of roof coverings.

Contained information, advice and guidance is given based on our knowledge, researches, experiments and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.

Product information can be found on the website: www.eurovent.de

Update date: 11/2015

Eurovent EAVES GRATE

Storage / transport:

The product should be stored in a dry place, under cover, free from moisture and UV radiation in original undamaged and closed package. Please protect from damage during storing. The product should be transported in covered means of transport. They should be prepared for transport in a manner that protects them from damage and destruction. During transport safety regulations must be observed. The product should be protected from chemical agents, in particular solvent-based substances, as they can reduce technical parameters of foil or permanently damage it.

The product is under warranty, providing that the guidelines contained in technical data sheet are being obeyed. We reserve the right to refuse a complaint recognition in case of not following these guidelines.

Contained information, advice and guidance is given based on our knowledge, researches, experiments and in good faith. We are not responsible for the consequences of improper or incorrect use of our products. Each user of this material will ensure in every possible way, including an examination of the final product in the relevant conditions, the suitability of supplied materials to achieve the objectives pursued by him.

Product information can be found on the website: www.eurovent.de

Update date: 11/2015